PRODUCT SELECTOR

Solid hardwood floors



JUNCKERS.COM



JOIN THE COLLAB WITH NATURE

ABOUT JUNCKERS

Junckers is Europe's leading solid wood flooring manufacturer. The company has deep roots tracing back to its establishment in 1930 by founder, Flemming Juncker. A visionary and dedicated forester, Flemming Juncker possessed a profound sympathy and understanding for what is today referred to as the circular economy. He advocated a sustainable approach to wood flooring, aiming to utilize every part of the tree. This vision remains integral to Junckers today through its incorporated philosophy: Join the Collab with Nature. When developing woodcare products, Junckers does so with a deep understanding of the requirements for both quality and environmental considerations. The company believes that lacquers, oils, and cleaning products play a crucial role in maintaining the beauty of wood products while extending their lifespan. At the factory in Denmark, a dedicated team of experts meticulously monitors the daily production, providing unparalleled insights into the functionality of wood flooring and an understanding of the challenges that any project may present.

The close connection to production enables Junckers to create solutions that meet the specific needs and requirements of customers within the sports, commercial, and residential segments. Successful projects require a reliable partner from start to finish. Junckers is committed to being a reliable and professional partner, working side-by-side with customers from project planning to execution and subsequent maintenance.

Experience has shown that this approach is crucial to offering sustainable-minded solutions that last for decades – making the company a preferred choice for professionals working on project sales worldwide.

CONTENTS

- 2 ABOUT JUNCKERS
- 4 A WIDE PRODUCT RANGE
- 6 2 STRIP FLOORING
- 8 PLANK FLOORING
- 12 TEXTURED AND COLOURED PLANK FLOORS
- 14 OTHER OPTIONS WITH TEXTURED FLOORS
- **16** TWIN HERRINGBONE FLOORS
- **18** HERRINGBONE FLOORS SINGLE STAVES AND PLANKS
- 19 HEXPARKET

With a global presence, facilitated through seven sales offices and an extensive network of dealers and agents, Junckers has branched out across the world. The company delivers their products to more than 45 countries worldwide.

Choose Junckers for products that meet the highest standards and join the company and its philosophy of collaborating with nature.

A WIDE PRODUCT RANGE

Solid wood floors create elegant harmony and are stylish and distinctive at the same time. At Junckers, you'll find a wide range of wood species, floor types, colors and textures to ensure, that you'll always find something to suit your taste.

UNDERFLOOR HEATING

At Junckers we have extensive expertise in flooring solutions that work in conjunction with underfloor heating and guarantee that our wood floors can be installed on top of both electric and hydronic underfloor heating systems.

INSTALLATION

A Junckers wood floor can be installed in three different ways, depending on the type of floor, subfloor and installation height. You can choose between mounting brackets, full gluing or a construction where the floor is nailing the floor to joists or a wood-based subfloor.

SURFACE TREATMENT

Junckers wood floors are delivered finished with oil or lacquer, ready for use. Alternatively, you can choose an untreated floor if you prefer to surface treat it yourself.


CLIMATE CONSIDERATIONS - A CENTRAL PART OF OUR BUSINESS

- We offer wood flooring from sustainable forestry - certified according to FSC® or PEFC.
- The air quality where you live is where you spend time is important. We have a wide range of Indeklima-labeled flooring and wood care products.
- · Signed up to the UN Global Compact.
- Signed up to the Science Based Targets initiative (SBTi).
- Environmentally certified according to ISO 14001.
- $\cdot\,$ Energy certified according to. ISO 50001.
- $\cdot\,$ All our wood floors are CE marked.





Ask Junckers for FSC® or PEFC certified products



Gives any room an exclusive and elegant look.

Decorate with nature's perfect pattern.

2 STRIP WOODEN FLOORING

UP TO THREE DIFFERENT STYLES

CLASSIC:

Uniform look with very little colour and structural graining variation.

HARMONY:

Natural look with a more natural range of colour and structural graining variation.

VARIATION:

A rustic look with substantial colour and graining variation.

BEECH

Thickness: 14/22 mm Width: 129 mm Surface: Clear oil, ultra matt and silk matt lacquer

A floor board with a uniform structure, white to reddish heartwood and a red-brown grain pattern. The classic floor.

BEECH NORDIC

Thickness: 14/22 mm Width: 129 mm Surface: Ultra matt lacquer

A Beech floor board with a white toned surface. Adds a light Scandinavian touch to the floor.

BEECH SYLVAKET

Thickness: 14/22 mm Width: 129 mm Surface: Clear oil, ultra matt and silk matt lacquer

A Beech floor board coloured through its full thickness. Can be sanded without loss of colour. Adds a warm golden glow to the floor.

BEECH SYLVAKET NORDIC

Thickness: 14/22 mm Width: 129 mm Surface: Ultra matt lacquer'

A Beech floor board coloured through its full thickness in combination with a white toned surface. An appearance very similar to Oak.

BEECH SYLVARED

Thickness: 14/22 mm Width: 129 mm Surface: Ultra matt and silk matt lacquer

A Beech floor board coloured through its full thickness in combination with a warm red stain. An interesting alternative to exotic wood species like Merbau and Mahogany.



OAK

Thickness: 14/22 mm Width: 129 mm Surface: Clear oil, ultra matt and silk matt lacquer

A floor board with a warm and golden glow and an interesting grain structure. Natural ageing gives the wood an authentic appearance.

OAK NORDIC

Thickness: 14/22 mm Width: 129 mm Surface: Ultra matt lacquer

An Oak floor board with a white toned surface. Adds a light Scandinavian touch to the floor.

MAPLE

Thickness: 22 mm Width: 129 mm Surface: Ultra matt and silk matt lacquer

A floor board with a light colour and a very uniform grain pattern. A very elegant floor.

ASH

Thickness: 22 mm Width: 129 mm Surface: Clear oil, ultra matt and silk matt lacquer

A floor board with an elegant, light appearance combined with a characteristic dark grain pattern. Over time, the natural ageing gives Ash a warm and golden glow.

ASH NORDIC Thickness: 22 mm Width: 129 mm Surface: Ultra matt lacquer

An Ash floor board with a white toned surface. Adds a light Scandinavian touch to the floor.

BLACK OAK

Thickness: 14/22 mm Width: 129 mm Surface: Clear oil and ultra matt lacquer

An Oak floor board coloured through its full thickness. Can be sanded without loss of colour. Adds a very dark appearance similar to Oak preserved in a bog for centuries.



Refresh with Junckers Maintenance Oil right after installation. Transportation and handling of the floorboards on site can cause a slightly worn appearance.

PLANK COLLECTION

UP TO THREE DIFFERENT STYLES

CLASSIC:

Uniform look with very little colour and structural graining variation.

HARMONY:

Natural look with a more natural range of colour and structural graining variation.

VARIATION:

A rustic look with substantial colour and graining variation.

15MM OAK

Thickness x width: 15 x 129 mm Surface: Clear oil, ultra matt and silk matt lacquer

A floor board with a warm and golden glow and an interesting grain structure. Natural ageing gives the wood an authentic appearance.

20.5MM OAK

Thickness x width: 20,5 x 140 mm Surface: Clear oil, ultra matt and silk matt lacquer

A floor board with a warm and golden glow and an interesting grain structure. Natural ageing gives the wood an authentic appearance.

15MM OAK NORDIC

Thickness x width: 15 x 129 mm Surface: Ultra matt lacquer

An Oak floor board with a white toned surface. Adds a light Scandinavian touch to the floor.

20.5 MM OAK NORDIC

Thickness x width: 20,5 x 140 mm Surface: Ultra matt lacquer

An Oak floor board with a white toned surface. Adds a light Scandinavian touch to the floor.

BLACK OAK

Thickness x width: 15 x 129 mm 20,5 x 140 mm Surface: Clear oil and Ultra matt lacquer

An Oak floor board coloured through its full thickness. Can be sanded without loss of colour. Adds a very dark appearance similar to Oak preserved in a bog for centuries.



Refresh with Junckers Maintenance Oil right after installation. Transportation and handling of the floorboards on site can cause a slightly worn appearance.

20,5 MM OAK NATURE

Thickness x width: 20,5 x 140 mm Surface: Ultra matt and silk matt lacquer

A floor board with a warm and golden glow and an interesting grain structure. Natural ageing gives the wood an authentic appearance.

20,5 MM OAK NORDIC NATURE Thickness x width: 20,5 x 140 mm

Surface: Ultra matt lacquer

An Oak floor board with a white toned surface. Adds a light Scandinavian touch to the floor.



PLANK BOULEVARD

For a truly superior look, choose Junckers Boulevard floors - Solid hardwood oak planks 185 mm wide. Extra width and extra luxury. The planks convey a sense of style and class that looks outstanding in any room.

OAK BOULEVARD

Thickness: 20,5 mm Width: 185 mm Surface: Clear oil, ultra matt or silk matt lacquer

A floor board with a warm and golden glow and an interesting grain structure. Natural ageing gives the wood an authentic appearance.

OAK NORDIC BOULEVARD Thickness: 20,5 mm

Width: 185 mm Surface: Ultra matt lacquer

An Oak floor board with a white toned surface. Adds a light Scandinavian touch to the floor.

BLACK OAK BOULEVARD

Thickness: 20,5 mm Width: 185 mm Surface: Clear oil or ultra matt lacquer

An Oak floor board coloured through its full thickness. Can be sanded without loss of colour. Adds a very dark appearance similar to Oak preserved in a bog for centuries.



Refresh with Junckers Maintenance Oil right after installation. Transportation and handling of the floorboards on site can cause a slightly worn appearance.

COLOUR RANGE 2 STRIP AND PLANK

Coloured Hardwood Flooring can sometimes be the final touch that brings a room to life. Choose from a broad variety of colours to get a completely unique look.

NORDIC WHITE PLUS

Oak 2 Strip Harmony Thickness: 14/22 mm Width: 129 mm Surface: Ultra matt lacquer

Oak plank Harmony Thickness x width: 15 x 129 mm / 20,5 x 140/185 mm Surface: Ultra matt lacquer

RAW SUGAR

Beech 2 Strip Harmony Thickness: 14/22 mm Width: 129 mm Surface: Ultra matt lacquer

Oak plank Harmony Thickness: 20,5 mm Width: 140/185 mm Surface: Ultra matt lacquer

NATURAL PEARL

Oak 2 Strip Harmony Thickness: 14/22 mm Width: 129 mm Surface: Ultra matt lacquer

Oak plank Harmony Thickness x width: 15 x 129 mm / 20,5 x 140/185 mm Surface: Ultra matt lacquer

GOLDEN PEARL

Oak 2 Strip Harmony Thickness: 14/22 mm Width: 129 mm Surface: Ultra matt lacquer

Oak plank Harmony Thickness x width: 15 x 129 mm / 20,5 x 140/185 mm Surface: Ultra matt lacquer

SILVER PEARL

Oak 2 Strip Harmony Thickness: 14/22 mm Width: 129 mm Surface: Ultra matt lacquer

Oak plank Harmony Thickness x width: 15 x 129 mm / 20,5 x 140/185 mm Surface: Ultra matt lacquer

DRIFTWOOD GREY

Oak 2 Strip Harmony Thickness: 14/22 mm Width: 129 mm Surface: Ultra matt lacquer


Oak plank Harmony Thickness x width: 15 x 129 mm / 20,5 x 140/185 mm Surface: Ultra matt lacquer

BLACK OIL

Beech 2 Strip Harmony Thickness: 14/22 mm Width: 129 mm Surface: Black Oil

| OAK 2 STRIP HARMONY | | OAK PLANK HARMONY | and the second sec |
|--------------------------|------------|----------------------|--|
| BEECH 2 STRIP HARMONY | ntrain mul | OAK PLANK HARMONY | |
| OAK 2 STRIP HARMONY | | OAK PLANK HARMONY | and the second |
| OAK 2 STRIP HARMONY | | OAK PLANK HARMONY | |
| OAK 2 STRIP HARMONY | | OAK PLANK HARMONY | |
| OAK 2 STRIP HARMONY | | OAK PLANK HARMONY | |
| BEECH 2 STRIP HARMONY | | | |

Refresh with Junckers Maintenance Oil right after installation. Transportation and handling of the floorboards on site can cause a slightly worn appearance.



TEXTURED AND COLOURED PLANK FLOORS

Junckers textured oak floors have a distinct surface created by a special brushing technique. By removing the softer sapwood from the upper surface of the wood, the tougher and darker heartwood is raised, showing off the lively grain structure in a silky-soft surface.

The addition of a surface colour and a beautiful tactile surface texture combine to make the ultimate floor with unique style and personality.

DRIFTWOOD GREY

Oak plank Harmony Thickness: 20,5 mm Width: 140/185 mm Surface: Ultra matt lacquer


RAW SUGAR

Oak plank Harmony Thickness: 20,5 mm Width: 140/185 mm Surface: Ultra matt lacquer

VISTA GREY

Oak plank Harmony Thickness: 20,5 mm Width: 140/185 mm Surface: Ultra matt lacquer





TEXTURED 2 STRIP AND PLANK FLOORS IN NATURAL WOOD COLOURS

Textured hardwood adds a whole new dimension to the floor and room. Combining the stunning looks of wooden floors, with the textured details adds an extra sensory dimension to the experience.

OAK Oak 2 Strip Harmony Thickness: 14/22 mm Width: 129 mm Surface: Untreated, clear oil, nordic and ultra matt lacquer

15mm Oak plank Harmony Thickness x width: 15 x 129 mm Surface: Untreated, clear oil, nordic and ultra matt lacquer

20.5mm Oak plank Harmony Thickness x width: 20,5 x 140/185 mm Surface: Untreated, clear oil, nordic and ultra matt lacquer

BLACK OAK

<u>Black Oak 2 Strip Harmony</u> Thickness: 14/22 mm Width: 129 mm Surface: Untreated, clear oil and ultra matt lacquer

Black Oak plank Harmony

Thickness x width: 15 x 129 mm / 20,5 x 140/185 mm Surface: Untreated, clear oil and ultra matt lacquer












Refresh with Junckers Maintenance Oil right after installation. Transportation and handling of the floorboards on site can cause a slightly worn appearance.



TRADITIONAL PATTERNS THE TWIN HERRINGBONE RANGE

Twin Herringbone is inspired by traditional Herringbone flooring, but now with a twist and an exclusive look.

Each floor board consists of two rows of staves. One row with a full length stave and one row with two half-length staves.



OAK Thickness x width x length: 14/22 mm x 129 mm x 516,6 mm Surface: Clear oil, Silkmatt lacquer or ultra matt lacquer



TWIN HERRINGBONE COLOURS - GRADE HARMONY

BEECH



Surface: Clear oil, Silk Matt or Ultra Matt lacquer

BEECH SYLVAKET



Surface: Clear oil, Silk Matt or Ultra Matt lacquer

0AK



Surface: Clear oil, Silk Matt or Ultra Matt lacquer

OAK DRIFTWOOD GREY



Surface: Ultra Matt lacquer

BEECH NORDIC



Surface: Ultra Matt lacquer

BEECH NORDIC SYLVAKET Surface: Ultra Matt lacquer

OAK NORDIC



Surface: Ultra Matt lacquer



Surface: Clear oil

BEECH RAW SUGAR



Surface: Ultra Matt lacquer

BEECH SYLVARED




Surface: Silk Matt or Ultra Matt lacquer

OAK NORDIC WHITE PLUS



BEECH BLACK OIL



Surface: Black oil





TRADITIONAL PATTERNS HERRINGBONE FLOORING - SINGLE STAVES AND PLANKS

Wooden floors in geometric pattern, tell stories of castles, classical mansions, galleries and museums. The aesthetics and timeless elegance of a herringbone floor is unique and this is why it forms a key design element in heritage, period and contemporary architecture.

Tongued and grooved single staves or planks. Can be installed in numerous patterns.




SINGLE STAVES

Oak Thickness: 16 mm Stave width x length: 68 x 408 mm Surface: Untreated to be sealed on site

SINGLE STAVES - PLANKS

Thickness x width x lenght: 20.5 x 140 x 701 mm 15 x 129 x 775 mm Surface: The floor is delivered surface treated from factory and is available in the exact same variety of surfaces as Junckers Plank Flooring.







Refresh with Junckers Maintenance Oil right after installation. Transportation and handling of the floorboards on site can cause a slightly worn appearance.

HEXPARKET

Shapes and patterns in nature have a great impact on architecture and interior design. We let ourselves be inspired and the hexagon - a pattern based on equilateral triangles - is just one of several basic geometric patterns emerged by forces of nature and basic mathematics. Just take a look at a beehive, snow crystals or the shape of certain flowers.



0AK

Thickness: 20.5 mm Size: 370 x 370 x 370 mm Surface: Untreated to be sealed on site

BLACK OAK Thickness: 20.5 mm Size: 370 x 370 x 370 mm Surface: Untreated to be sealed on site



Refresh with Junckers Maintenance Oil right after installation. Transportation and handling of the floorboards on site can cause a slightly worn appearance.

JUNCKERS A/S · Værftsvej 4 · DK-4600 Køge Tel. +45 70 80 30 00 · junckers.com